

PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc. has assessed the Laboratory of:

PharmLabs, LLC
3421 Hancock Street 2nd Floor, San Diego, CA 92107

(Hereinafter called the Organization) and hereby declares that Organization is accredited in accordance with the recognized International Standard:

ISO/IEC 17025:2017

This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (as outlined by the joint ISO-ILAC-IAF Communiqué dated April 2017):

Chemical, Microbiological and Non-Destructive Testing
(As detailed in the supplement)

Accreditation claims for such testing and/or calibration services shall only be made from addresses referenced within this certificate. This Accreditation is granted subject to the system rules governing the Accreditation referred to above, and the Organization hereby covenants with the Accreditation body's duty to observe and comply with the said rules.

For PJLA:

In

Initial Accreditation Date:

Issue Date:

Expiration Date:

August 03, 2015

October 17, 2023

December 31, 2025

Accreditation No.:

Certificate No.:

85368

L23-764

Tracy Szerszen President

Perry Johnson Laboratory Accreditation, Inc. (PJLA) 755 W. Big Beaver, Suite 1325 Troy, Michigan 48084 The validity of this certificate is maintained through ongoing assessments based on a continuous accreditation cycle. The validity of this certificate should be confirmed through the PJLA website: www.pjlabs.com



PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc. has assessed the Laboratory of:

PharmLabs, LLC
3421 Hancock Street 2nd Floor, San Diego, CA 92107

(Hereinafter called the Organization) and hereby declares that Organization is accredited in accordance with the recognized International Standard:

ISO/IEC 17025:2017

This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (as outlined by the joint ISO-ILAC-IAF Communiqué dated April 2017):

Chemical, Microbiological and Non-Destructive Testing
(As detailed in the supplement)

Accreditation claims for such testing and/or calibration services shall only be made from addresses referenced within this certificate. This Accreditation is granted subject to the system rules governing the Accreditation referred to above, and the Organization hereby covenants with the Accreditation body's duty to observe and comply with the said rules.

For PJLA:

Mary Lympa

Tracy Szerszen President

Perry Johnson Laboratory Accreditation, Inc. (PJLA) 755 W. Big Beaver, Suite 1325 Troy, Michigan 48084 Initial Accreditation Date:

Issue Date:

Expiration Date:

August 03, 2015

October 17, 2023

December 31, 2025

Accreditation No.:

Certificate No.:

85368

L23-764

The validity of this certificate is maintained through ongoing assessments based on a continuous accreditation cycle. The validity of this certificate should be confirmed through the PJLA website: www.pjlabs.com



PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc. has assessed the Laboratory of:

PharmLabs, LLC
3421 Hancock Street 2nd Floor, San Diego, CA 92107

(Hereinafter called the Organization) and hereby declares that Organization is accredited in accordance with the recognized International Standard:

ISO/IEC 17025:2017

This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (as outlined by the joint ISO-ILAC-IAF Communiqué dated April 2017):

Chemical, Microbiological and Non-Destructive Testing
(As detailed in the supplement)

Accreditation claims for such testing and/or calibration services shall only be made from addresses referenced within this certificate. This Accreditation is granted subject to the system rules governing the Accreditation referred to above, and the Organization hereby covenants with the Accreditation body's duty to observe and comply with the said rules.

For PJLA:

Charles Starter

Tracy Szerszen President

Perry Johnson Laboratory Accreditation, Inc. (PJLA) 755 W. Big Beaver, Suite 1325 Troy, Michigan 48084 Initial Accreditation Date:

Issue Date:

Expiration Date:

August 03, 2015

October 17, 2023

December 31, 2025

Accreditation No.:

Certificate No.:

85368

L23-764

The validity of this certificate is maintained through ongoing assessments based on a continuous accreditation cycle. The validity of this certificate should be confirmed through the PJLA website: www.pjlabs.com



PharmLabs, LLC

3421 Hancock Street 2nd Floor, San Diego, CA 92107 Contact Name: Greg Magdoff Phone: 619-356-0898

Accreditation is granted to the facility to perform the following testing:

| FIELD OF TEST | ITEMS, MATERIALS OR PRODUCTS TESTED | SPECIFIC TESTS OR PROPERTIES MEASURED | SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED | RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT |
|------------------|---|--|--|---|
| Chemical F | Cannabis Flower | Cannabinoids: | HPLC, SOP-001, | D.L. = 0.001 % |
| | Cannabis | CBDV | SOP-036 | |
| | Concentrate | CBDA | | |
| | Cannabis Extracts | CBGA | | |
| | | CBG | | |
| | Cannabis Infused | CBD | | |
| | Products (MIPs) | THCV | | |
| | Hemp | CBN | | |
| | | Exo-THC | | |
| | | D9-THC | | |
| | | D8-THC | | |
| | | (6aR,9S)-d10 THC 9S-HHC | | |
| | | (6aR,9R)-d10 THC 9R-HHC | | |
| | | CBL | | |
| | | CBC | | |
| | | THCA-A | | |
| | | D9-THC-P | | |
| | | D8-THC-P | | |
| | | D8-THC-O | | |
| | | D9-THC-O | | |
| | | The second secon | the state of | |
| | | THC-B | | |
| | | D8-THCV | | |
| | | D9-THC-H | 144 | |
| | | 9(R)-HHCP | | |
| | | 9(S)-HHCP | And the second | |
| | | 11-hydroxy-Δ8-THC | A CONTRACTOR OF THE PARTY OF TH | |
| | | 11-hydroxy-Δ8-THCV | | , |
| | 11 112 113 | D8-THC-JD (THC-C8) | 1 | |
| | | 9β-ННС | 1 | |
| | | Cannabinol Acetate (CBN-O) | | |
| | - N 78' = | H4-CBD (1(R)-THD) | | |
| | | H4-CBD (1(S)-THD) | | |
| | | CBD-O | | |
| | | | | |
| | D 111 1 D 1/G | Abnormal CBD-O | TIDY C. COD 020 | 1 DDA # |
| | Edible/Food/Concen | 4-Acetoxy DMT | HPLC, SOP-039 | 1 PPM |
| | trate | Psilacetin | | |
| | | Amanita Muscaria | HPLC, SOP-040 | |
| <u>'</u> | | Ibotenic Acid | | 1 PPM |
| | | Muscimol | | 1.106 7 PPM |
| | | Muscarine | | 1 PPM |
| | | Tryptamines and Alkaloids | HPLC, SOP-041 | |
| | | Norbaeocystin ' | , , , , , , , , , | 0.191 7 PPM |
| | | Aeruginascin | | 0.146 7 PPM |
| | | Baeoeystin | | 0.191 7 PPM |
| | - | | | 0.059 4 PPM |
| | | Norpsilocin | TIDLO COP 043 | U.UJ7 4 FFIVI |
| | | Psychedelic | HPLC, SOP-042 | 0 100 0 PPF 5 |
| | | Psilocybin | | 0.130 0 PPM |
| | | Psilocin | | 0.061 3 PPM |



Issue: 10/202

Certificate of Accreditation: Supplement

PharmLabs, LLC

3421 Hancock Street 2nd Floor, San Diego, CA 92107 Contact Name: Greg Magdoff Phone: 619-356-0898

Accreditation is granted to the facility to perform the following testing:

| FIELD OF TEST | ITEMS, MATERIALS OR PRODUCTS TESTED | SPECIFIC TESTS OR PROPERTIES MEASURED | SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED | RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT |
|-----------------------|--|--|---|--|
| Chemical ^F | Cannabis Flower Cannabis Concentrate Cannabis Extracts Cannabis Infused Products (MIPs) Hemp | Blue Lotus Apomorphine Nuciferine | HPLC, SOP-043 | 0.393 5 PPM 0.065 0 PPM |
| | | Kratom 7-hydroxy Mitragynine Mitragynine Paynantheine Speciogynine Speciociliante | HPLC, SOP-044 | 0.176 7 PPM 0.353 4 PPM 0.036 1 PPM 0.130 8 PPM 0.071 7 PPM |
| | | Terpenoids: a-Pinene Camphene Myrcene b-Pinene 3-Carene a-Terpinene a-Ocimene b-Ocimene Limonene p-Cymene Eucalyptol g-Terpinene Terpenolene | GC/FID, SOP-002 | D.L. = 0.1 mg/g |
| | Cannabis Flower Cannabis Concentrate Cannabis Extracts Cannabis Infused Products (MIPs) Hemp | Terpenoids: Linalool Isopulegol Geraniol b-Caryophyllene Humulene Cis-Nerolidol Trans-Neridiol Guaiol Caryophyllene Oxide a-bisabolol | GC/FID, SOP-002 | D.L. = 0.1 mg/g |
| | | Heavy Metals: Arsenic Cadmium Mercury Lead Nickel | ICP-MS SOP-005 | D.L. = 0.003 μg/g D.L. = 0.002 μg/g D.L. = 0.02 μg/g D.L. = 0.002 μg/g D.L. = 0.057 7 μg/g |
| | | Mycotoxin: Aflatoxin B1 Aflatoxin B2 Aflatoxin G1 Aflatoxin G2 Ochratoxin. A | LC-MS/MS SOP-004 | 5 μg/kg |



PharmLabs, LLC

3421 Hancock Street 2nd Floor, San Diego, CA 92107 Contact Name: Greg Magdoff Phone: 619-356-0898

Accreditation is granted to the facility to perform the following testing:

| FIELD OF TEST | ITEMS, MATERIALS OR PRODUCTS TESTED | SPECIFIC TESTS OR PROPERTIES MEASURED | SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED | RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT |
|-------------------------|--|---|---|---|
| Chemical ^F . | Cannabis Flower Cannabis Concentrate Cannabis Extracts Cannabis Infused Products (MIPs) Hemp | Residual Solvents: Acetone Ethanol Ethyl acetate Xylenes (o-, p-, m-) Benzene Toluene Butane Ethylene Oxide Acetonitrile Chloroform 1,2-Dichloroethane Trichloroethylene n-Heptane n-Pentane Propane Ethyl Ether Methylene Chloride Methanol butane Hexanes 2-Propanol (Isopropanol, Isopropyl alcohol) | GC/FID with Headspace Analyzer, SOP-006 | D.L. = 0.4 μg/g |



PharmLabs, LLC 3421 Hancock Street 2nd Floor, San Diego, CA 92107 Contact Name: Greg Magdoff Phone: 619-356-0898

| FIELD OF TEST | ITEMS, MATERIALS OR PRODUCTS TESTED | specific tests or properties measured | SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED | RANGE (WHERE APPROPRIATE) AN DETECTION LIMIT |
|------------------|--|--|--|--|
| Chemical F | Cannabis - Flowers, | Pesticides: | LC - MS/MS | D.L. = $0.05 \mu g/g$ |
| | Concentrates, | Organophosphates | GC - MS/MS | |
| | Extracts, Infused | Neonicotinoids | SOP - 003 | T |
| | Products, & Hemp | Pyrethroids | | |
| | , , | Carbamates | | |
| | | Organochlorines | | |
| | | Aldicarb | | , |
| | | Carbofuran | | |
| | | Chlordane | | |
| | | Chlorfenapyr | | |
| | | Chlorpyrifos | | |
| | | Coumaphos | | |
| | | Daminozide | | |
| | | DDVP (Dichlorvos) | | |
| | | Dimethoate | | |
| | | Ethoprop(hos) | | |
| | | Ettofenprox | | |
| | | Fenoxycarb | | |
| | - | | | |
| | | Fipronil | - / | |
| | | Imazalil | | |
| | | Methiocarb | 18 3 18 18 18 18 18 18 18 18 18 18 18 18 18 | |
| | | Methyl parathion | NES - | |
| | 4134 | Mevinphos | (1) | |
| | | Paclobutrazol | | |
| | | Propoxur | Alle Say | |
| | | Spiroxamine | 1 | |
| 9 | 1 - V - V | Thiacloprid | | |
| | | Abamectin | | |
| | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Acephate | | |
| | | Acequinocyl | | |
| | | Acetamiprid | The second second | |
| | | Azoxystrobin | | |
| | | Bifenazate | | |
| | | Bifenthrin | | |
| | | Boscalid | | |
| | | Captan | | |
| | | Carbaryl | | |
| | | Chlorantraniliprole | | |
| | | Clofentezine | | |
| | | Cyfluthrin | | |
| | | Cypermethrin | | |
| | | Diazinon | | |
| | | Dimethomorph | 0 5 | |
| | | Etoxazole | | |
| | | Fenhexamid | | |
| | | Fenpyroximate | | |
| | | Flonicamid | | |



PharmLabs, LLC

3421 Hancock Street 2nd Floor, San Diego, CA 92107 Contact Name: Greg Magdoff Phone: 619-356-0898

Accreditation is granted to the facility to perform the following testing:

| FIELD OF TEST | ITEMS, MATERIALS OR PRODUCTS TESTED | SPECIFIC TESTS OR PROPERTIES MEASURED | SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED | RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT |
|---|---|--|--|---|
| Chemical F | Cannabis - Flowers, Concentrates, Extracts, Infused Products & Hemp | Pesticides: Fludioxonil Hexythiazox Imidacloprid Kresoxim-methyl Malathion Metalaxyl Methomyl Myclobutanil Naled Oxamyl Pentachloronitrobenzene Permethrin Phosmet Piperonylbutoxide Prallethrin Propiconazole Pyrethrins Pyridaben Spinetoram Spinosad Spiromesifen Spirotetramat Tebuconazole Thiamethoxam Trifloxystrobin | LC - MS/MS GC - MS/MS SOP - 003 | D.L. = 0.05 μg/g |
| | Cannabis and Hemp flower | Moisture | AquaLab 4TE Duo water activity meter SOP-008 | Up to 100 % |
| | Cannabis flower, cannabis products, hemp | Water activity AquaLab 4TE Duc | AquaLab 4TE Duo water activity meter SOP-008 | 0.03 a _w to 1 a _w |
| Microbiological ^F | Cannabis Flower, Cannabis Concentrate, Cannabis Extracts, Cannabis Infused Products (MIPs) Hemp | Bacterial contamination detection: Salmonella E. coli STEC Aspergillus flavus Aspergillus fumigatus Aspergillus niger Aspergillus terreus | Plating SOP - 007 | Presence/Absence |
| Non-Destructive Festing ^F | Cannabis, Cannabis Products, & Hemp | Filth and Foreign Matter | SOP - 010 | Presence/Absence |

1. The presence of a superscript F means that the laboratory performs testing of the indicated parameter at its fixed location. Example: Outside Micrometer F would mean that the laboratory performs this testing at its fixed location.

Issue: 10/202